# 3000 | 4000 SERIES Mobile Light Towers





# 3000 | 4000 SERIES

## METAL HALIDE MOBILE LIGHT TOWERS

Generac Magnum 3000 and 4000 series mobile light towers provide flexible lighting and power solutions that go wherever you need them. Available with a 30ft (9.14m) horizontal or 25ft (7.62m) vertical mast, towers are offered in a variety of configurations with options to meet every need. 4000 series towers offer ultimate versatility, with convenience outlets that provide up to 20kW of single phase export power for jobsite

> trailers, tools and other essentials. The tubular steel frame and powder-coated enclosure are

## **APPLICATIONS**

- Construction Sites
- Rental
- Roadwork
- Oil & Gas





## SPECIFICATIONS

	MLT3060M / V	MLT3060K / V	MLT4060M / V	MLT4060K / V	MLT4080K / V	MLT4150M / V	MLT4200IF4 / V
	USA (METRIC)						
Engine / Tier	Mitsubishi / FT4	Kubota / FT4	Mitsubishi / FT4	Kubota / T4	Kubota / FT4	Mitsubishi / FT4	Isuzu / FT4
Prime	10.5 hp @ 1800 RPM	11.7 hp @ 1800 RPM	10.5 hp @ 1800 RPM	11.7 hp @ 1800 RPM	13.5 hp @ 1800 RPM	23.5 hp @ 1800 RPM	36.2 hp @ 1800 RPM
Power: kW	6	6	6	6	8	15	20
Output: Amps	50	50	50	50	66	125	167
Fuel Capacity: gal (L)	33.6 (127.19)	33.6 (127.19)	56.4 (213.5)	56.4 (213.5)	56.4 (213.5)	56.4 (213.5)	51.4 (194.5)
Fuel Consumption / Full Load: gph (Lph)*	0.47 (1.78)	0.50 (1.89)	0.47 (1.78)	0.50 (1.89)	0.70 (2.65)	1.30 (4.92)	2.10 (7.8)
Fuel Consumption / Lights Only: gph (Lph)*	0.24 (0.91)	0.25 (0.95)	0.24 (0.91)	0.25 (0.95)	0.35 (1.32)	0.65 (2.46)	1.05 (3.97)
Max Runtime (Lights Only): hrs*	140	134	235	225	161	86	48
Horizontal Mast Height Deployed: ft (m)	30 (9.14)	30 (9.14)	30 (9.14)	30 (9.14)	30 (9.14)	30 (9.14)	30 (9.14)
Vertical Mast Height Deployed: ft (m)	25 (7.62)	25 (7.62)	25 (7.62)	25 (7.62)	25 (7.62)	25 (7.62)	25 (7.62)
Light Fixtures	(4) 1,050 MH						
Total Lumens	462,000	462,000	462,000	462,000	462,000	462,000	462,000
Dimensions - Stowed: in (m)	170 x 49 x 68 (4.32 x 1.24 x 1.73)	170 x 49 x 68 (4.32 x 1.24 x 1.73)	170 x 63 x 70 (4.32 x 1.60 x 1.78)	170 x 63 x 70 (4.32 x 1.60 x 1.78)	170 x 63 x 70 (4.32 x 1.60 x 1.78)	170 x 68 x 70 (4.32 x 1.73 x 1.78)	170 x 68 x 70 (4.32 x 1.73 x 1.78)
Dimensions Stowed - Vertical Mast: in (m)	117 x 58 x 111 (2.97 x 1.47 x 2.82)	117 x 58 x 111 (2.97 x 1.47 x 2.82)	115 x 63 x 107 (2.92 x 1.60 x 2.72)	115 x 63 x 107 (2.92 x 1.60 x 2.72)	115 x 63 x 107 (2.92 x 1.60 x 2.72)	115 x 68 x 107 (2.92 x 1.60 x 2.72)	115 x 68 x 107 (2.92 x 1.60 x 2.72)
Dry Weight: lbs (kg)	1856 (841.87)	1873 (849.58)	1910 (866.36)	1908 (865.45)	1925 (873.17)	2420 (1097.70)	2315 (1050.10)
Operating Weight: lbs (kg)	1910 (866.36)	1923 (872.26)	2162 (980.67)	2182 (989.74)	2188 (992.46)	2483 (1126.30)	2395 (1086.40)
Service Interval: hrs	750	750	750	750	750	750	250
CSA Listed	Yes						

<sup>\*</sup>Results based on engine manufacturer and field test data after 100-hour engine break-in period and may vary based on factors including age and maintenance of equipment, environmental conditions and fuel density. Consult the Owner's Manual for fuel and maintenance recommendations.



### **Looking for more light?**

Generac Mobile Products offers a full global line of powerful, mobile lighting solutions for every need. Learn more at GeneracMobileProducts.com.

#### 24/7 • 365 Nationwide Service Support Network;

because when you're on the job, we're on the job.

LIGHT TOWERS | GENERATORS | PUMPS | HEATERS



